

T105-AES




Trojan monoblock AGM-AES är ett ventilreglerat blybatteri med elektrolyten bunden i separatorerna. Ingen vattenpåfyllning, inget syraläckage och lägesoberoende. Trojan monoblock AGM-AES används när det ställs mycket höga krav på cyklings- och djupurladdningstålighet. Batteriet är återvinningsbart. Typiska användningsområden är: Städmaskiner, carriers, golfbilar mm.


TEKNISK DATA

Art.nr	
Art.nr (gammalt)	T105 AES
Spänning	6 V
Kap. C5	171.0 Ah
Kap. C20	217.0 Ah
Längd Bas	261.0 mm
Längd Tot	262.0 mm
Bredd Bas	177.0 mm
Bredd Tot	179.0 mm
Höjd Kapsling	259.0 mm
Höjd Tot	273.0 mm
Vikt	32.0 kg
Rekommenderad laddström	15-30 A
Poltyp	M8
Åtdragningsmoment pol	16-18 Nm
Antal cykler	1200 DOD 100%


MÅTTSKISS



BATTERY DIMENSIONS (shown with M8)



SELF DISCHARGE VS. TIME^H



TERMINAL TYPE^G

15	M8	M8
	<p>Battery Height with Terminal in Inches (mm) 10.57 (268)</p> <p>Torque Values in-lb (Nm) Bolt: 85 – 90 (10 – 11)</p>	
15	M8	M8 WITH LT ADAPTER (ADAPTER PROVIDED BUT NOT INSTALLED)
	<p>Battery Height with Terminal in Inches (mm) 12.07 (307)</p> <p>Torque Values in-lb (Nm) Connection to M8: 85 – 90 (10 – 11) Connection to LT: 65 – 75 (7.5 – 8.5)</p> <p>Bolt Size M8 x 1.25</p>	

15	M8	M8 WITH AP ADAPTER (ADAPTER PROVIDED BUT NOT INSTALLED)
	<p>Battery Height with Terminal in Inches (mm) 11.41 (290)</p> <p>Torque Values in-lb (Nm) Connection to M8: 85 – 90 (10 – 11) Connection to AP: 50 – 70 (6 – 8)</p>	